

## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

## (19) World Intellectual Property Organization International Bureau





# (43) International Publication Date 3 May 2001 (03.05.2001)

#### **PCT**

# (10) International Publication Number WO 01/31028 A3

(51) International Patent Classification<sup>7</sup>: C12N 15/53, 9/02, C12Q 1/66

(21) International Application Number: PCT/GB00/04133

(22) International Filing Date: 26 October 2000 (26.10.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

9925161.3 26 October 1999 (26.10.1999) GB 0016744.5 10 July 2000 (10.07.2000) GB

(71) Applicant (for all designated States except US): THE SECRETARY OF STATE FOR DEFENCE [GB/GB]: DSTL. Porton Down, Salisbury, Wiltshire SP4 OJQ (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SQUIRRELL, David, James [GB/GB]: DSTL, Porton Down, Salisbury, Wiltshire SP4 0JQ (GB). MURPHY, Melenie, Jane [GB/GB]: TSTL, Porton Down, Salisbury, Wiltshire SP4 0JQ (GB). PRICE, Rachel, Louise [GB/GB]: DSTL, Porton Down, Salisbury, Wiltshire SP4 0JQ (GB). WHITE, Peter, John [GB/GB]: DSTL, Porton Down, Salisbury, Wiltshire SP4 0JQ (GB). WILLEY, Tara, Louise [GB/GB]: The Babraham Institute, Babraham Hall, Village of Babraham, Cambridge CB2 4AT (GB).

- (74) Agent: SKELTON, Stephen, Richard: D/IPR, Formalities Section, Poplar 2, MOD Abbey Wood #19, Bristol BS34 8JH (GB).
- (81) Designated States (national): AE. AG. AL. AM. AT. AU. AZ. BA. BB. BG. BR. BY. BZ. CA. CH. CN. CR. CU. CZ. DE. DK. DM. DZ. EE. ES. FI. GB. GD. GE. GH. GM. HR. HU. ID. IL. IN. IS. JP. KE. KG. KR. KZ. LC. LK. LR. LS. LT. LU. LV. MA, MD. MG. MK. MN. MW. MX. MZ. NO. NZ. PL. PT. RO. RU. SD. SE. SG. SI, SK. SL. TJ. TM. TR. TT. TZ. UA. UG, US. UZ. VN. YU. ZA. ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### **Published:**

- with international search report
- (88) Date of publication of the international search report: 2 May 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



₹.

(54) Title: MUTANT LUCIFERASE

(57) Abstract: A recombinant protein having luciferase activity and at least 60 % similarity to a wild-type luciferase wherein in the sequence of the enzyme, the amino acid residue corresponding to residue 357 in *Photinus pyralis* luciferase is mutated as compared to the corresponding wild-type luciferase, such that the luciferase enzyme is able to emit light at a different wavelength as compared to the corresponding wild-type luciferase and/or has enhanced thermostability as compared to the corresponding wild-type luciferase. In general, the residue corresponding to 357 in Photinus pyralis luciferase is changed from an acidic amino acid to a non-acidic amino acid and preferably an uncharged polar amino acid such as tyrosine. Mutant luciferases in accordance with the invention can produce a large (50nm) wavelength shift in emitted light and have good thermostability. The resultant colour shift can be reversed by addition of coenzyme A. These properties make the mutant particularly useful in a variety of assays.

## INTERNATIONAL SEARCH REPORT

Intern ial Application No PCT/GB 00/04133

4 61 466	ICIO ATION OF OUR IFOR IAATTER					
IPC 7	ification of Subject Matter C12N15/53 C12N9/02 C12Q1/	66				
According t	o International Patent Classification (IPC) or to both national class	ification and IPC				
	SEARCHED		<del></del>			
	ocumentation searched (classification system followed by classific	Cation eumbols)	<del></del>			
IPC 7	C12N C12Q	zaton symbols)				
Documenta	tion searched other than minimum documentation to the extent th	at such documents are included in the fields s	earched			
Electronic d	ata base consulted during the international search (name of data	base and, where practical, search terms used	1)			
CHEM A	BS Data, STRAND					
	ENTS CONSIDERED TO BE RELEVANT		T			
Category °	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to daim No.			
X	WO 99 14336 A (PROMEGA CORPORAT WOOD KEITH V.; HALL MARY P.) 25 March 1999 (1999-03-25)  page 5, line 1-15; figure 19 page 36 -page 40; example 4 Mutant Luc78-0810 page 67 Mutant Luc90-185 page 69 page 71 -page 72; tables 2,3 page 77 -page 106; claims figures 36,38,39,41,43	ION (US);	1,2,5,6, 11,12, 14-16, 18-23			
X Furth	er documents are listed in the continuation of box C.	Patent family members are listed i	in annex.			
Special cate	egories of cited documents :	TT lotor document out light of affective the	notional filling data			
	*T* later document published after the international filing date  'A* document defining the general state of the art which is not considered to be of particular relevance  'T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention					
	E* earlier document but published on or after the international 'X' document of particular relevance; the claimed invention					
"L" documen	cannot be considered novel or cannot be considered to  L' document which may throw doubts on priority claim(s) or involve an inventive step when the document is taken alone					
	which is cited to establish the publication date of another citation or other special responders specified.  'Y' document of particular relevance: the claimed invention					
"O" documer	Or document referring to an oral disclosure, use, exhibition or document is combined with one or more other such docu-					
'P' documen	eans It published prior to the international filing date but In the priority date claimed	ments, such combination being obviou in the art.  *8* document member of the same patent to				
	clual completion of the international search	Date of mailing of the international sear				
20	July 2001	01/08/2001				
Name and ma	ailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL – 2280 HV Rijswijk  Tet. (+31-70) 340-2040, Tx. 31 651 epo nl,  Eav. (-31-70) 340-3016	Authorized officer  Macchia. G				

1

## INTERNATIONAL SEARCH REPORT

Intern Ial Application No PCT/GB 00/04133

		PCT/GB 00/04133
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
E	WO 01 20002 A (PROMEGA CORPORATION (US); WOOD KEITH V.; HALL MARY P.; GRUBER MONIKA) 22 March 2001 (2001-03-22)  Mutant Luc78-0B10, SEQ ID NO:6,19; Mutant Luc90-1B5, SEQ ID NO:11,24; Mutant Luc133-1B2, SEQ ID NO:42,44; Mutant Luc146-1H2, SEQ ID NO:43,45 page 8 -page 12; figures 19A,32,36,42,43,55,56,57,58 page 27 -page 32 page 52 -page 81	1,2,5,6, 11,12, 14-16, 18-23
A	LI YE ET AL.: "Cloning and sequencing of a cDNA for firefly luciferase from Photuris pennsylvanica" BIOCHIMICA ET BIOPHYSICA ACTA, vol. 1339, 25 April 1997 (1997-04-25), pages 39-52, XP000909154 ISSN: 0006-3002 cited in the application page 40; table 1 page 42 -page 44; figure 2	
A	WO 95 25798 A (SECRETARY STATE DEFENCE UNITED KINGDOM; LOWE; WHITE; MURRAY; SQUIRREL) 28 September 1995 (1995-09-28) cited in the application	
A	WHITE P.J. ET AL: "Improved thermostability of the North American firefly luciferase: saturation mutagenesis at position 354" BIOCHEMICAL JOURNAL, vol. 319, 1996, pages 343-350, XP002097112 ISSN: 0264-6021	
A .	VIVIANI V.R. ET AL.: "Cloning, sequence analysis and expression of active Phrixothrix railroad-worms luciferases: relationship between bioluminescence spectra and primary structures" BIOCHEMISTRY, vol. 38, no. 26, 29 June 1999 (1999-06-29), pages 8271-8279, XP002172177 cited in the application page 8275; figure 5	

## INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern 1al Application No PCT/GB 00/04133

Patent document cited in search report	rt ·	Publication date		Patent family member(s)	Publication date
WO 9914336	Α	25-03-1999	AU EP	9492198 A 1015601 A	05-04-1999 05-07-2000
WO 0120002		22-03-2001	 AU	2215600 A	17-04-2001
WO 9525798	 A	28-09-1995	AU	697883 B	22-10-1998
1			AU BR	1954595 A 9507140 A	09-10-1995 30-09-1997
			CA	2186144 A	28-09-1995
			CN Ep	1149318 A 0751996 A	07-05-1997 08-01-1997
			FI GB	963741 A 2301592 A,B	20-11-1996 11-12-1996
			JP NO	9510610 T 963983 A	28-10-1997 23-09-1996
			ÜS	6132983 A	17-10-2000

# Shi

## PATENT COOPERATION TREATY

# **PCT**

REC'D	3 0 MAY 2002
WIPO	PCT

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

1	
20	

Applicant's	or ac	ent's file reference	<u> </u>		
P1247/M		one ne relevance	FOR FURTHER A	CTION See Notific	cation of Transmittal of International y Examination Report (Form PCT/IPEA/416)
International application No. PCT/GB00/04133		International filing date 26/10/2000	(day/month/year)	Priority date (day/month/year) 26/10/1999	
International C12N15/		ent Classification (IPC) or na	tional classification and IP	PC .	
Applicant THE SEC	RE	TARY OF STATE FOR	DEFENCE et al.		
1. This is	ntern tran	ational preliminary exami smitted to the applicant a	nation report has been coording to Article 36.	prepared by this Inte	ernational Preliminary Examining Authority
2. This F	REPC	ORT consists of a total of	11 sheets, including th	nis cover sheet.	
D	en a	eport is also accompanied amended and are the bas alle 70.16 and Section 60	is for this report and/or	' sheets containing re	n, claims and/or drawings which have octifications made before this Authority
		exes consist of a total of			
3. This re	port	contains indications relat	ting to the following iter	ms:	
1	$\boxtimes$	Basis of the report			
11		·			
III		Non-establishment of or	pinion with regard to no	velty, inventive sten.	and industrial applicability
IV		Lack of unity of invention	n	otop	·
V					
VI		Certain documents cited	d		
VII		Certain defects in the int			
VIII		Certain observations on .	the international applic	cation	
Date of subn	nissio	n of the demand		Date of completion of t	this report
14/05/200	1			30.05.2002	
Name and m preliminary e	xamir	address of the international ning authority:		Authorized officer	SP NEOVES MADRICA
European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo ni				Macchia, G	The second of th
	Fax:	+31 70 340 - 3016		Tolophone No. 121 70	040 4070

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB00/04133

<ol> <li>Basis of</li> </ol>	f the rep	port
------------------------------	-----------	------

1.	. With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):  Description, pages:					
	1,2, 18-	6-8,10,13, 43	as originally filed			
	3-5, 14-	.9,11,12, 17	as received on	24/04/2002	with letter of	18/04/2002
	Cla	lms, No.:				
	1-2	5	as received on	24/04/2002	with letter of	18/04/2002
	Dra	wings, sheets:				
	1/24	1-24/24	as originally filed			
Sequence listing part of the description, pages:						
	1-8,	as originally filed				
2.	. With regard to the <b>language</b> , all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.					
These elements were available or furnished to this Authority in the following language: , which is:					which is:	
		the language of a	translation furnished for the pur	poses of the i	nternational search (u	ınder Rule 23.1(b)).
		the language of po	ublication of the international ap	plication (und	er Rule 48.3(b)).	
		the language of a 55.2 and/or 55.3).	translation furnished for the pur	poses of inter	national preliminary e	xamination (under Rule
3.		-	cleotide and/or amino acid sec ry examination was carried out o	•		• •
	×	contained in the ir	nternational application in writter	ı form.		
	×	filed together with	the international application in o	computer read	lable form.	
		furnished subsequ	uently to this Authority in written	form.		·
		furnished subsequ	uently to this Authority in compu	ter readable fo	orm.	
			at the subsequently furnished wr pplication as filed has been furn		e listing does not go b	peyond the disclosure in

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB00/04133

		The statement that the listing has been furni	ne informa shed.	tion recor	rded in computer readable form is identical to the written sequence	
4.	. The amendments have resulted in the cancellation of:					
		the description,	pages:			
		the claims,	Nos.:			
		the drawings,	sheets:			
5.		This report has been considered to go bey	establishe ond the di	ed as if (s isclosure	ome of) the amendments had not been made, since they have beer as filed (Rule 70.2(c)):	
		(Any replacement shi report.)	eet contai	ning such	amendments must be referred to under item 1 and annexed to this	
6.	Add	litional observations, if	f necessar	y:		
٧.	Rea cita	soned statement und tions and explanation	der Artick ns suppo	e 35(2) w rting suc	ith regard to novelty, inventive step or industrial applicability;	
1.	Stat	ement				
	Nov	elty (N)	Yes: No:	Claims Claims	3, 4, 7-10, 11(b,c,d,f,g,h,i,j,k),13, 17, 24, 25 1, 2, 5, 6, 11(a,e), 12, 14-16, 18-23	
	Inve	entive step (IS)	Yes: No:	Claims Claims	7-9, 11(b,c,d,f,g,h,i,j,k), 13, 24, 25 1-6, 10, 11(a,e), 12, 14-23	
	Indu	istrial applicability (IA)	Yes: No:	Claims Claims	1-25	
2.	Citat	tions and explanations	6			

see separate sheet

#### Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents:

- D1: WO 99 14336 A (PROMEGA CORPORATION (US); WOOD KEITH V.; HALL MARY P.) 25 March 1999;
- D2: LI YE et al.: 'Cloning and sequencing of a cDNA for firefly luciferase from Photuris pennsylvanica ' BIOCHIMICA ET BIOPHYSICA ACTA, vol. 1339, 25 April 1997, pages 39-52, XP000909154;
- D3: VIVIANI V.R. et al.: 'Cloning, sequence analysis and expression of active Phrixothrix railroad-worms luciferases: relationship between bioluminescence spectra and primary structures 'BIOCHEMISTRY, vol. 38, no. 26, 29 June 1999, pages 8271-8279, XP002172177.

The following documents D4 and D5 were not cited in the International Search Report. Copies of the documents are appended hereto:

- D4: ALBERTS B. et al.: 'MOLECULAR BIOLOGY OF THE CELL 'third edition, 1997, Garland Publishing, Inc., New York & London, pages 56 and 57;
- D5: WATSON J.D. et al.: 'MOLECULAR BIOLOGY OF THE GENE 'fourth edition, 1991, The Benjamin/Cummings Publishing Company, Inc., Menlo Park, California, page 43.
- 1.1). Document D1 relates to Photuris pennsylvanica luciferase mutants with increased thermostability. Among the mutants on which document D1 puts more emphasis, the mutants named "Luc78-0B10" and "Luc90-1B5" are indicated (D1: pages 4 and 13; tables 1 and 2). The amino acid sequences of these mutants are disclosed in D1 (D1: page 4 and figures 36 and 43) and claimed (D1: claim 21(f) and 21(k)). The amino acid sequence of the corresponding wild-type enzyme is also disclosed (D1: page 3 and figure 45). From the sequences disclosed as

indicated above, it can be seen that, in the wild-type amino acid sequence of Photuris pennsylvanica luciferase, the amino acid residue corresponding to residue 357 in Photinus pyralis luciferase is a Valine residue. This correspondence is indicated in the sequence alignment of figure 2 of document D2, to which present application refers for the identification of residues corresponding to a certain position in the Photinus pyralis luciferase amino acid sequence.

The amino acid sequence alignment among the sequences of Photinus pyralis, Photuris pennsylvanica wild-type and of the mutants " Luc 78-0B10 " and " Luc 90-1B5 " luciferases, in the stretch of amino acid residues around residue 357 of Photinus pyralis luciferase, is indicated below. From this sequence alignment, it can be seen that the wild-type Valine residue of Photuris pennsylvanica luciferase, which corresponds to residue 357 in Photinus pyralis luciferase, is substituted in the mutants " Luc78-0B10 " and " Luc90-1B5 " with an Alanine (D1: figures 36 and 43). In this respect, it should be noted that the presence of two undefined residues, indicated by " X ", immediately before said Alanine residue, does not lead to any uncertainty with regard to the identification of the residues in the mutant luciferases which correspond to a certain residue in the wild-type sequence. In fact, as shown in the alignment below, the overall homology in the regions flanking these two undefined amino acid residues leads to no doubts about the correct alignment among the sequences, moreover, it should also be noted that there is no need of introducing gaps, in order to optimize the alignment in said region.

357

P.pyralis	RQGYGLTETTSAILITPEGDDKPGAVGKVVPFFEAKVVDLDTGKTLGVNQRGEI
P.penn.wt	RQGYGLTETTSAVLITPDTDVRPGSTGKIVPFHAVKVVDPTTGKILGPNETGEL
78-0B10	RQGYGLTETTSAVLITPKXXARPGSTGKIVPFHAVKVVDPTTGKILGPNEPGEL
90-1B5	ROGYGLTETTSAVLITPKXXAKPGSTGKTVPFHAVKVVDPTTGKTLGDNEDGEL

In addition to the previous remarks, in the amino acid sequences of mutants " Luc78-0B10 " and " Luc90-1B5 ", the following additional mutations can be

## **EXAMINATION REPORT - SEPARATE SHEET**

#### observed:

- a Lysine residue is present in the position corresponding to the Aspartic Acid residue in the stretch LITPDTDVR of wild-type Photuris pennsylvanica luciferase. This Aspartic Acid residue is the one corresponding to position E354 in Photinus pyralis luciferase, as indicated in the sequence alignment of D2 already mentioned (D2: figure 2) and indicated in the sequence alignment above by a dot;
- the Phenylalanine residue in the stretch LMAFFAKSA of wild-type Photuris b) pennsylvanica luciferase is substituted with a Leucine. This Phenylalanine residue is the one corresponding to position 295 in Photinus pyralis luciferase.

In addition to this, document D1 discloses and claims the nucleic acid sequences coding for said mutants "Luc78-0B10" and "Luc90-1B5" (D1: figures 32 and 42. claims 16(f) and 16(k), respectively). A BamHI restriction site (GGATCC) is present at the beginning of both sequences. This restriction site is not present in the nucleic acid sequence encoding the luciferase, as originally isolated from Photuris pennsylvanica (as indicated in figure 1 of D2). Therefore, the nucleic acid sequences disclosed in figures 32 and 42 of D1 are embraced by the scope of claim 15.

An expression vector comprising said nucleic acid, Escherichia coli cells transformed with said vector, a method of producing said luciferase mutants. which method comprises culturing said Escherichia coli cell, are described in D1 (D1: pages 2-3). This description is considered to be an enabling disclosure for the subject-matter of claims 18-20 because at the priority date of present application, expression vectors, host cells and corresponding methods for the production of recombinant proteins were tools very well known to the person skilled in the art and currently used in the technical field.

The use of said luciferase mutants in a bioluminescent assay and a kit comprising said mutants and luciferin are also described in D1 (D1: pages 16-20).

- 1.2). The subject-matter of claims 1, 2 (insofar as the subject-matter of claim 2 refers to a mutant Photuris pennsylvanica luciferase), 5, 6, 11(a,e), 12, 14-16 and 18-23 is therefore not novel (Article 33(2) PCT).
- 2). Claims 2 (insofar as claim 2 refers to a mutant luciferase whose corresponding

**EXAMINATION REPORT - SEPARATE SHEET** 

wild-type sequence is from organisms other than Photuris pennsylvanica), 3, 4, 7-10, 11(b,c,d,f,g,h,i,j,k), 13, 17, 24 and 25 meet the requirements of Article 33(2) PCT because the subject-matter concerned in these claims was not described in the available prior art (documents D1-D3).

- 3.1). Document D1, which is considered to represent the most relevant state of the art, discloses Photuris pennsylvanica luciferase mutants with increased thermostability, as already commented under previous point 1.1). The subjectmatter of claims 2 (insofar as claim 2 refers to a mutant luciferase whose corresponding wild-type sequence is from organisms other than Photuris pennsylvanica), 3, 4, 10 and 17 differs in that mutants of luciferases from organisms other than Photuris pennsylvanica are concerned.
- 3.2). The problem to be solved by the present invention may therefore be regarded as the provision of further luciferases with increased thermostability and/or able to emit light at a different wavelength, as compared to the corresponding wild-type luciferase.
- 3.3). The solution proposed in claims 2 (insofar as claim 2 refers to a mutant luciferase whose corresponding wild-type sequence is from organisms other than Photuris pennsylvanica), 3, 4, 10 and 17 (insofar as claim 17 refers to a nucleic acid ..... comprising a sequence having at least 90% similarity to the stretch of nucleotides 9-1661 of SEQ ID NO:1) of the present application cannot be considered as involving an inventive step (Article 33(3) PCT) for the following reasons: document D1 recites on pages 6-7 that the overall three-dimensional structure of all beetle luciferases is quite similar and that high thermostability can be achieved for other beetle luciferases by methods similar to the one disclosed in D1. Moreover, on page 8 of D1 it is stated that, since all beetle luciferases belong to the same structural class, they also share in the same pool of potentially stabilizing mutations. In addition to this, on page 9 of D1 it is stated that " similar results were achieved using another beetle luciferase from Pyrophorus plagiophthalamus". These statements can be considered as a suggestion that the same mutations found to lead to increased thermostability in Photuris pennsylvanica, as disclosed in D1, may also be applied to luciferases from related organisms, as the ones disclosed in figure 17 of D1 and whose amino acid sequence is aligned in figure

- 19 of D1. Therefore, the disclosure of document D1 would be considered by the person skilled in the art as an incentive to mutate other beetle luciferases, in the positions corresponding to the ones mutated in the thermostable mutants " Luc78-0B10 " and " Luc90-1B5 " and using amino acid residues of the same class of the ones used in said " Luc78-0B10 " and " Luc90-1B5 " mutants. Consequently, starting from the description of D1, a person skilled in the art would have arrived at the obtainment of mutant luciferases which fall within the scope of claims 2 (insofar as claim 2 refers to a mutant luciferase whose corresponding wild-type sequence is from organisms other than Photuris pennsylvanica), 3, 4, 10 and 17 (insofar as claim 17 refers to a nucleic acid comprising a sequence having at least 90% similarity to the stretch of nucleotides 9-1661 of SEQ ID NO:1) with a reasonable expectation of success and without using his inventive skill, requiring nothing extraordinary all being a matter of technical convenience.
- 4). Claims 7-9, 11(b,c,d,f,g,h,i,j,k), 13 and 17 (insofar as claim 17 refers to a nucleic acid comprising nucleotides 9-1661 of SEQ ID NO:1) meet the requirements of Article 33(3) PCT because document D1 provides no suggestion that can be considered by the skilled man as an incentive to test mutations at positions other than the ones mutated in the luciferases " Luc78-0B10 " and " Luc90-1B5 ", or mutated at the same positions of " Luc78-0B10 " and " Luc90-1B5 " but with amino acid residues belonging to a different class, as compared to the ones used in said mutants.
  - Claims 24 and 25 relate to a method involving the mutant luciferases mentioned above, and as such also meet the requirements of the PCT with respect to inventive step (Article 33(3) PCT).
- The industrial applicability of the subject-matter of claims 1-25 is acknowledged 5). (Article 33(4) PCT).

## The following remarks are done with respect to Article 6, Rule 6 PCT.

6.1). Present application refers to luciferases having a mutation, as compared to the corresponding wild-type enzyme, at a position corresponding to residue 357 in Photinus pyralis luciferase. A definition of a residue in a luciferase which is " corresponding " to residue 357 present in the luciferase from Photinus pyralis is given on page 4 of present application, reciting that corresponding regions among the enzyme sequences are readily determinable by examination of the sequences to detect the most similar regions, if necessary also by using commercially available software (i.e. Bestfit). Alternatively or additionally, corresponding residues can be determined by reference to the sequence alignment shown in figure 2 of document D2, already mentioned.

In this respect, the IPEA is of the opinion that this definition does not always allow to define unambiguously a residue in a luciferase, which corresponds to residue 357 of Photinus pyralis luciferase for the following reasons:

- in case the primary sequence homology was the criterium for defining residues corresponding to the one in the luciferase of reference, it should be noted that different algorithms exist for amino acid sequence alignments. Moreover, each algorithm allows the possibility of modifying the parameters used for sequence alignment. The use of said different algorithms, and/or the application of said different parameters might result in different sequence alignments, therefore making it unclear the identification of a residue corresponding to another one in a sequence of reference. In addition to this, it should be noted that sequence alignment programs make use of the introduction of gaps, in order to optimize the alignment of the sequences to be compared. These gaps have the effect of making it uncertain the identification of "corresponding residues " falling within said. gaps, or even close to it, because it might happen that a gap can be slightly shifted without affecting the efficiency of the alignment.
  - As a matter of fact, in figure 2 of document D2, the amino acid residues D357 of Photinus pyralis is aligned with the amino acid residue " E ", indicated in bold in the stretch " AEGEFKL " in the luciferases from Photuris pennsylvanica indicated as Ppe(J19) and Ppe1(KW), due to introduction of gaps aimed at the optimization of the alignment of the whole series of sequences. If however, only the two sequences from Photinus pyralis and Photuris pennsylvanica Ppe(J19) or Ppe1(KW) luciferases were aligned, the amino acid residue in Ppe(J19) or Ppe1(KW), corresponding to D357 of Photinus pyralis luciferase would then be the residue "F" indicated in bold in the same stretch " AEGEFKL ".
- Moreover, it should be noted that the subject-matter of claim 1 embraces ii).

**EXAMINATION REPORT - SEPARATE SHEET** 

luciferase mutants from any possible luciferase, even from the ones not so related to the Photinus pyralis luciferase of reference and, in addition to this, the claim is not limited to mutants which are mutated at one specific position, but also luciferases having at least 60% similarity to said wild-type luciferase, this adding more complexity to the possibility of finding unambiguous correspondence among amino acid residues.

- In addition to this, it should be noted that in claim 1, the following functional iii). statement: " ability to emit light at a different wavelength and/or possession of enhanced thermostability, as compared to the corresponding wild-type luciferase " does not enable the skilled person to determine which technical features are necessary to perform the stated functions (see also PCT Preliminary Examination Guidelines C-III, 4.5) and in this respect, it should be remarked that a mutation in a position which corresponds to position 357 of Photinus pyralis luciferase, does not always lead to a luciferase having these desired properties. In fact, from table 6 of present application, it can be seen that the Photinus pyralis luciferase mutant D357K (identified as Enzyme No. 25) is not thermostable (0.1% activity remaining after incubation at 45° for 4 minutes, as compared to 0.05% activity of the wild-type enzyme tested at the same conditions). Moreover, in table 4 of present application, it can be seen that the same mutant D357K shows a deviation from wild-type.... luciferase of only 2nm, in terms of wavelength of emitted light. These differences are considered not to be high enough to distinguish the scope of said mutant from the one of the wild-type luciferase.
- 6.2). Having regard to the above comments, it should be concluded that the residues of the luciferases, as indicated in claim 1 cannot always be defined unambiguously and, as such, claim 1 fails to comply with the requirements of Article 6 PCT with respect to clarity.

Moreover, the identification of residues in any luciferase (wild-type ones and the ones having at least 60% similarity to said wild-type enzyme), corresponding to the one of Photinus pyralis luciferase mentioned, and whose mutation would lead to a luciferase with enhanced thermostability and/or able to emit light at a different wavelength as compared to the corresponding wild-type luciferase, would put an undue burden to the person skilled in the art.

Consequently, present application does not meet the requirements of Articles 5 and 6 PCT because the subject-matter of claim 1 is not sufficiently disclosed and supported over its whole breadth.

- 7). In amended claim 11(h), residue 108 of *Luciola lateralis* luciferase is indicated as being corresponding to residue 105 of *Photinus pyralis* luciferase. However, from the alignment shown in figure 2 of document D2, it seems that the *Luciola lateralis* luciferase residue corresponding to *Photinus pyralis* luciferase Alanine residue 105 is the Threonine residue in position 107, instead (Article 6 PCT). Same remark applies also to the passage on amended page 9, lines 35-36, on amended page 12, line 6, and on amended page 16, lines 7-8.
- 8). In page 5 of present application it is cited that in the luciferase Ph<sub>RE</sub> of *Phrixothrix*, the residue corresponding to residue 357 of *Photinus pyralis* luciferase is the residue Leucine in position 354. Having regard to the sequence alignment in figure 5 of document D3, it seems that the corresponding residue is the Leucine residue on position 355 of *Phrixothrix* Ph<sub>RE</sub> luciferase, instead (Article 6 PCT).
- 9). Claim 7 does not meet the requirements of Article 6 PCT because the amino acids indicated as uncharged polar are not explicitly defined and there is no general consensus in the technical field about the amino acids belonging to this class. In fact, document D4, provided by the Applicant during the procedure, indicates on page 57 that amino acid residues with uncharged polar side chains are Asparagine, Glutamine, Serine, Threonine and Tyrosine. Document D5, however, shows that neutral polar amino acid residues are Serine, Threonine, Tyrosine, Tryptophan, Asparagine, Glutamine and Cysteine. Moreover, in the description on page 5, present application refers to uncharged polar amino acids such as Tyrosine, Asparagine, Glutamine, Phenylalanine, Serine, Tryptophan or Threonine.